

HGOPY Follow up - 16 weeks

SURVEY IDENTIFICATION INFORMATION QUESTIONNAIRE DESCRIPTION

INTERVIEW

Sub-sections: 1, No rosters, Questions: 33, Static texts: 7, Variables: 3.

APPENDIX A — ENABLING CONDITIONS

LEGEND

SURVEY IDENTIFICATION INFORMATION QUESTIONNAIRE DESCRIPTION

Basic information

Title HGOPY Follow up - 16 weeks

INTERVIEW

<p>Name of patient</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>TEXT SCOPE: IDENTIFYING</p> <p style="text-align: right;">patient_name</p> <p>.....</p>
<p>Patient is aged<25 years</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING</p> <p style="text-align: right;">adolescent</p> <p>01 <input type="radio"/> Yes 00 <input type="radio"/> No</p>
<p>Contraceptive method chosen during visit to clinic.</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING</p> <p style="text-align: right;">mc</p> <p>01 <input type="radio"/> IUD 02 <input type="radio"/> Implant 03 <input type="radio"/> Pill (COC or POP) 04 <input type="radio"/> Injectable (DEPO) 00 <input type="radio"/> None</p>
<p>VARIABLE</p> <p>(mc==1) ? "IUD" : (mc==2) ? "IMPLANT" : (mc==3) ? "PILL" : (mc==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING</p> <p style="text-align: right;">mc_string</p>
<p>Date of visit to the clinic</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>DATE SCOPE: IDENTIFYING</p> <p style="text-align: right;">date_visit</p> <p>.....</p>
<p>How satisfied was this person of FOSA services in the past?</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>TEXT SCOPE: IDENTIFYING</p> <p style="text-align: right;">agree_satisfied_past</p> <p>.....</p>
<p>Please press this button to start</p>	<p>DATE: CURRENT TIME</p> <p style="text-align: right;">datetime</p> <p>.....</p>

STATIC TEXT

E IsAnswered(datetime)

Please read this statement out loud:

Hi my name is [...interviewer name...], I work for [...Organization...] and I am calling on behalf of a research team from the Ministry of Public Health and the World Bank.

Before I continue may I confirm that I am speaking to %patient_name%?

I If you are speaking to someone other than %patient_name%, ask this person whether you can speak to %patient_name%. Select 'yes' only once you are talking to %patient_name%.

E IsAnswered(datetime)

SINGLE-SELECT

speaking to

01 Yes
-01 The patient is not available right now
-02 The respondent does not know who the patient is

STATIC TEXT

E speaking_to==1

Please read this statement out loud:

You may remember that at the end of your visit at HGOPY we asked you if you would agree to participate in a research study. At the time you had said yes and signed a consent form where you agreed to conduct three short phone interviews.

This is the second phone interview of this study. If you still agree to participate, I will ask you a few questions about your experience with family planning and about visit to the clinic. This call should take no longer than 10 minutes.

Your participation in this study is entirely voluntary. The information you give during the interview will be treated as private and confidential. The information collected in this interview will be anonymized and no one will be able to trace your answers back to you. If you do not wish to answer any of the questions asked during the interview you can say so and the interviewer will move on to the next question. If at any point during the interview you want to stop the interview entirely you can simply tell the interviewer and you can stop. You will never have to provide any reason for refusing to take part in the interview or for not wanting to respond to any question. Your refusal to participate in this study, or your acceptance, will not affect the care or services you will receive in the future, in this clinic nor in any other clinic.

Please be assured that there are no right or wrong answers and that it is your own experiences and your own opinions that are valuable to inform the study.

<p>Would you still like to participate in this study?</p> <p>If this is not a good time I can call you back when it is more convenient for you.</p> <p>E speaking_to==1</p>	<p>SINGLE-SELECT start</p> <p>02 <input type="radio"/> Agrees to participate now</p> <p>01 <input type="radio"/> Agrees to participate but wants to reschedule the call</p> <p>00 <input type="radio"/> Refuses to participate</p>
---	---

STATIC TEXT

E start==2

A couple of the questions I will ask you today are about contraception and your visit to the clinic for family planning services. You might want some privacy while answering these questions. I can wait while you move to a safer/more quiet place.

INTERVIEW
STUDY QUESTIONS

E start==2

<p>Are you still using the %mc_string%?</p> <p>E mc.InList(1,2)</p>	<p>SINGLE-SELECT larc stillusing</p> <p>01 <input type="radio"/> Yes</p> <p>00 <input type="radio"/> No</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Do you remember your visit to HGOPY on the %date_visit%, when you had agreed to participate in this study. Since that visit, have you ever gone back to a FOSA to get a new supply of pills?</p> <p>E mc.InList(3)</p>	<p>SINGLE-SELECT sarc_stillusing_pill</p> <p>01 <input type="radio"/> Yes</p> <p>00 <input type="radio"/> No</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Do you remember your visit to HGOPY on the %date_visit%, when you had agreed to participate in this study. Since that visit, have you ever gone back to a FOSA to get another injection?</p> <p>E mc.InList(4)</p>	<p>SINGLE-SELECT sarc_stillusing_inje</p> <p>01 <input type="radio"/> Yes</p> <p>00 <input type="radio"/> No</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Approximately when was this?</p> <p>E sarc_stillusing_inje==1 sarc_stillusing_pill==1</p>	<p>DATE date renewal sarc</p> <p>.....</p>
<p>VARIABLE</p> <p>(larc_stillusing==1 && IsAnswered(larc_stillusing)) (sarc_stillusing_inje==1 && IsAnswered(sarc_stillusing_inje)) (sarc_stillusing_pill==1 && IsAnswered(larc_stillusing))</p>	<p>BOOLEAN renewed</p>

<p>Overall, how satisfied are you with %mc_string%?</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>SINGLE-SELECT stillusing satisfied</p> <p>05 <input type="radio"/> Very satisfied</p> <p>04 <input type="radio"/> Satisfied</p> <p>03 <input type="radio"/> Neither satisfied nor dissatisfied</p> <p>02 <input type="radio"/> Dissatisfied</p> <p>01 <input type="radio"/> Very dissatisfied</p> <p>-98 <input type="radio"/> Don't know</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Did you experience any side effects with %mc_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.</p> <p>I Please read each answer choice out loud.</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>MULTI-SELECT: YES/NO stillusing se past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Bleeding increase</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Bleeding decrease</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Painful bleeding</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Weight gain</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Weight loss</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Headaches</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Dizziness</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Abdominal pain</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Pain in the arm</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Mood changes</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Depression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Other</p>
<p>Please describe what other side effects you experienced?</p> <p>E stillusing_se_past.Yes.Contains(99)</p>	<p>TEXT stillusing_se_past_desc</p> <p>.....</p>
<p>Of the side effects you just mentioned, are you still experiencing any of them?</p> <p>I Please read each answer choice out loud.</p> <p>F stillusing_se_past.Yes.Contains(@optioncode)</p> <p>E stillusing_se_past.Yes.Length>0</p>	<p>MULTI-SELECT: YES/NO stillusing se prsnt</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Bleeding increase</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Bleeding decrease</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Painful bleeding</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Weight gain</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Weight loss</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Headaches</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Dizziness</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Abdominal pain</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Pain in the arm</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Mood changes</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Depression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Other</p>
<p>Why did you decide to stop using %mc_string%?</p> <p>E renewed==false && ((IsAnswered(larc_stillusing) && larc_stillusing!=99) (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!=99) (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_pill) && sarc_stillusing_pill) And 11 other symbols [1]</p>	<p>MULTI-SELECT why_quit</p> <p>01 <input type="checkbox"/> Side effects</p> <p>02 <input type="checkbox"/> Forgot to renew</p> <p>03 <input type="checkbox"/> Too expensive to renew</p> <p>04 <input type="checkbox"/> Discreteness</p> <p>05 <input type="checkbox"/> Pressure from partner</p> <p>06 <input type="checkbox"/> Want to get pregnant</p> <p>99 <input type="checkbox"/> Other</p> <p>-98 <input type="checkbox"/> Don't know</p> <p>-99 <input type="checkbox"/> Refused to respond</p>

Which side effects did you experience with %mc_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.

I Please read each answer choice out loud.
 E mc.InList(1,2,3,4) && renewed==false && why_quit.Contains(1)

- MULTI-SELECT: YES/NO quit because se past
- 01 / Bleeding increase
 - 02 / Bleeding decrease
 - 03 / Painful bleeding
 - 04 / Weight gain
 - 05 / Weight loss
 - 06 / Headaches
 - 07 / Dizziness
 - 08 / Abdominal pain
 - 09 / Pain in the arm
 - 10 / Mood changes
 - 11 / Depression
 - 12 / Acne
 - 99 / Other

Please describe what other side effects you experienced?

E quit_because_se_past.Yes.Contains(99)

TEXT quit because se past_desc

Overall, how satisfied were you with %mc_string%?

E // Did not renew LARC/SARC AND mc.InList(1,2,3,4) && renewed==false // (reasons why quit answered & does not include side effects OR && ((IsAnswered(why_quit) && !why_quit.Contains(1)) // [And 150 other symbols \[2\]](#)

- SINGLE-SELECT quit satisfied
- 05 Very satisfied
 - 04 Satisfied
 - 03 Neither satisfied nor dissatisfied
 - 02 Dissatisfied
 - 01 Very dissatisfied
 - 98 Don't know
 - 99 Refused to respond

Did you experience any side effects with %mc_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.

I Please read each answer choice out loud.
 E mc.InList(1,2,3,4) && renewed==false && !why_quit.Contains(1)

- MULTI-SELECT: YES/NO quit nose se past
- 01 / Bleeding increase
 - 02 / Bleeding decrease
 - 03 / Painful bleeding
 - 04 / Weight gain
 - 05 / Weight loss
 - 06 / Headaches
 - 07 / Dizziness
 - 08 / Abdominal pain
 - 09 / Pain in the arm
 - 10 / Mood changes
 - 11 / Depression
 - 12 / Acne
 - 99 / Other

Please describe what other side effects you experienced?

E quit_nose_se_past.Yes.Contains(99)

TEXT quit_nose_se_past_desc

<p>What method are you using now?</p> <p>E // did not renew AND did not quit because patient wants to get pregnant renewed==false && !why_quit.Contains(6)</p>	<p>SINGLE-SELECT mc_new</p> <p>00 <input type="radio"/> None</p> <p>01 <input type="radio"/> IUD</p> <p>02 <input type="radio"/> Implant</p> <p>03 <input type="radio"/> Pill (COC or POP)</p> <p>04 <input type="radio"/> Injectable (DEPO)</p> <p>05 <input type="radio"/> Traditional methods</p> <p>99 <input type="radio"/> Other</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Please describe this other method?</p> <p>E mc_new==99 mc_new==5</p>	<p>TEXT mc_new_other</p> <p>.....</p>
<p>VARIABLE</p> <p>(mc_new==1) ? "IUD" : (mc_new==2) ? "IMPLANT" : (mc_new==3) ? "PILL" : (mc_new==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING mc_new_string</p>
<p>Overall, how satisfied are you with %mc_new_string%?</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>SINGLE-SELECT mc_new_satisfied</p> <p>05 <input type="radio"/> Very satisfied</p> <p>04 <input type="radio"/> Satisfied</p> <p>03 <input type="radio"/> Neither satisfied nor dissatisfied</p> <p>02 <input type="radio"/> Dissatisfied</p> <p>01 <input type="radio"/> Very dissatisfied</p> <p>-98 <input type="radio"/> Don't know</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Are experiencing any side effects with %mc_new_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.</p> <p>I Please read each answer choice out loud.</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>MULTI-SELECT: YES/NO mc_new_se</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Bleeding increase</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Bleeding decrease</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Painful bleeding</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Weight gain</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Weight loss</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Headaches</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Dizziness</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Abdominal pain</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Pain in the arm</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Mood changes</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Depression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Other</p>
<p>Please describe what other side effects you experienced?</p> <p>E mc_new_se.Yes.Contains(99)</p>	<p>TEXT se_new_other</p> <p>.....</p>

In our last telephone call, you had mentioned that you were %agree_satisfied_past% with the quality of FP services received at HGOPY.

Looking back, which of the following best describes your present level of satisfaction with the quality of FP services you received at HGOPY?

I Please read response options to the respondent. Select one.
E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

- SINGLE-SELECT agree_satisfied
- 05 Very satisfied
 - 04 Satisfied
 - 03 Neither satisfied nor dissatisfied
 - 02 Dissatisfied
 - 01 Very dissatisfied
 - 98 Don't know
 - 99 Refused to respond

How likely are you to return to HGOPY if you needed services related to contraception and family planning?

E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

- SINGLE-SELECT likely_return
- 05 Very likely
 - 04 Likely
 - 03 Neither likely nor unlikely
 - 02 Unlikely
 - 01 Very unlikely
 - 98 Don't know
 - 99 Refused to respond

Are you using any other forms of contraception?

E (mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))) || IsAn [And 56 other symbols \[3\]](#)

- MULTI-SELECT mc_other
- 01 Male condoms
 - 02 Female Condoms
 - 03 Traditional methods list

Even if you do not want to participate in this interview, can we call you in 9 months for the next follow up interview?

E start==0

- SINGLE-SELECT call_3months
- 01 Yes
 - 00 No

STATIC TEXT

E start==0

The respondent does not wish to be interviewed, please thank the respondent and hang up.

Please don't forget to complete and submit the interview.

Could we arrange a time when I can call back and talk to %patient_name%?

E speaking_to==1

- SINGLE-SELECT call_back
- 01 Yes
 - 00 No

STATIC TEXT

E start==1 || (speaking_to==1 && call_back==1)

Please arrange a time and date to call back, once you have agreed please thank the respondent and hang up.

Please don't forget to complete and submit the interview.

STATIC TEXT

E //// change back the start condition!!!! speaking_to==0 || (start==2 && IsAnswered(start))

Please read this statement out loud:

Thank you very much for participating in this interview, this is it for now. We will call you again in about 9 months time to ask you a few more questions, as we had agreed before. Remember that if you change your mind before then you will still be able to refuse to participate.

Is there a phone number where you would prefer us to contact you on?

NUMERIC: INTEGER

phone

SPECIAL VALUES

-99 No

E //// change back the start condition!!!! call_back==1 |
| (start==2 && IsAnswered(start))
E1 (self>99999999 && self<1000000000) || self== -99
M1 The phone number must be 9 digits long!

STATIC TEXT

E //// change back the start condition!!!! call_back==0 || speaking_to== -2 || (start==2 && IsAnswered(start))

The interview has ended, please thank the respondent and hang up.

Please don't forget to complete and submit the interview.

APPENDIX A — ENABLING CONDITIONS

- [1] **why_quit: Why did you decide to stop using %mc_string%?**

Enablement Condition:

```
renewed==false &&
((IsAnswered(larc_stillusing) && larc_stillusing!==-99)
 || (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!==-99)
 || (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_pill!==-99))
```

- [2] **quit_satisfied: Overall, how satisfied were you with %mc_string%?**

Enablement Condition:

```
// Did not renew LARC/SARC AND
mc.InList(1,2,3,4) && renewed==false
// (reasons why quit answered & does not include side effects OR
&& ((IsAnswered(why_quit) && !why_quit.Contains(1))
// reasons why quit include side effects & answered
 || (IsAnswered(quit_because_se_past) && why_quit.Contains(1) && IsAnswered(quit_because_se_past)))
```

- [3] **mc_other: Are you using any other forms of contraception?**

Enablement Condition:

```
(mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==--99)))
 || IsAnswered(stillusing_se_past) || IsAnswered(quit_satisfied)
```

LEGEND

Legend and structure of information in this file

Name of section	Enabling condition for this section	Type of question, scope	Variable name
<p>SECTION 5: OTHER INCOME SOURCES</p> <p>E s4_other_sources_which.Contains(98)</p>	<p>Question title</p> <p>Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur?</p> <p>I This refers to family relations E s3_time_other > 0 V1 s4_re1_leaders_which.Contains(98) M1 Can not be itself V2 (s3_time_other_breeding_advice <= (50 - s3_time_art_insem_advice)) s3_time_other_breeding_advice == 0 M2 This person is not in the list F optioncode != s5_ignored_option_code</p>	<p>Answer options</p> <p>MULTI-SELECT SCOPE: PREFILLED</p> <p>01 <input type="checkbox"/> Community animal health workers 02 <input type="checkbox"/> Private 03 <input type="checkbox"/> Government 04 <input type="checkbox"/> Livestock keepers association 05 <input type="checkbox"/> NGO</p> <p>And 5 other [13]</p>	<p>s4_re1_leaders_other</p>
<p>Additional information:</p> <p>"I" – Question instruction "E" – Enabling condition "V1" – Validation condition №1 "M1" – Message for validation №1 "F" – Filter in Categorical questions</p>	<p>Link to full set in appendix</p>		

Breadcrumbs

Type or roster	Roster Title
CHAPTER 3 IDENTIFICATION / Roster;	LEADER RELATION DETAILS generated by fixed list:
01	Ward Livestock Officer
02	Village Livestock Officer
99	Other (specify)

List items

Not shared with anyone

HGOPY Follow up - 16 weeks

SURVEY IDENTIFICATION INFORMATION QUESTIONNAIRE DESCRIPTION

INTERVIEW

Sub-sections: 1, No rosters, Questions: 33, Static texts: 7, Variables: 3.

APPENDIX A — ENABLING CONDITIONS

APPENDIX B — INSTRUCTIONS

LEGEND

**SURVEY IDENTIFICATION INFORMATION
QUESTIONNAIRE DESCRIPTION**

Basic information

Title HGOPY Follow up - 16 weeks

INTERVIEW

<p>Nom de la patiente</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>TEXT SCOPE: IDENTIFYING patient_name</p> <p>.....</p>
<p>La patiente a moins de 25 ans</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING adolescent</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p>
<p>Methode contraceptive choisie durant la visite a la FOSA</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING mc</p> <p>01 <input type="radio"/> DUI</p> <p>02 <input type="radio"/> Implant</p> <p>03 <input type="radio"/> Pilule (COC ou POP)</p> <p>04 <input type="radio"/> Injection (DEPO)</p> <p>00 <input type="radio"/> Aucune</p>
<p>VARIABLE</p> <p>(mc==1) ? "IUD" : (mc==2) ? "IMPLANT" : (mc==3) ? "PILL" : (mc==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING mc_string</p>
<p>Date de la visite a la FOSA</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>DATE SCOPE: IDENTIFYING date_visit</p> <p>.....</p>
<p>Niveau de satisfaction de la cliente lors du premier entretien telephonique</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>TEXT SCOPE: IDENTIFYING agree_satisfied_past</p> <p>.....</p>
<p>S'il vous plait, pressez ce bouton pour commencer.</p>	<p>DATE: CURRENT TIME datetime</p> <p>.....</p>

STATIC TEXT

E IsAnswered (datetime)

S'il vous plait lisez cet information a voix haute:

Bonjour, je m'appelle [...votre nom...], je travaille pour [...votre organization...] et je vous appelle de la part d'une equipe de chercheurs du Ministere de la Sante Publique et de la Banque Mondiale.

Avant de continuer, puis-je confirmer que je suis en train de parler avec %patient_name%?

I Si vous etes en train de parler a une personne autre que %patient_name%, demandez a cette personne si vous pouvez parler avec %patient_name%. Selectionnez la touche "oui" uniquement lorsque vous serez [And 40 other symbols \[1\]](#)

E IsAnswered (datetime)

SINGLE-SELECT speaking_to

01 Oui

-01 La patiente n'est pas disponible en ce moment.

-02 La personne au telephone ne sait pas qui est la patiente.

STATIC TEXT

E speaking_to==1

" Veuillez lire cette déclaration à haute voix:

Vous vous rappelez peut-être qu'à la fin de votre visite à HGOPY, nous vous avons demandé si vous accepteriez de participer à une étude. À ce moment-là, vous avez dit oui et vous avez signé un formulaire de consentement et vous avez accepté de participer a trois courts entretiens téléphoniques.

Cet appel est le deuxième entretien téléphonique de cette étude. Si vous êtes toujours d'accord de participer, je vais vous poser quelques questions à propos de vos expériences avec le planning familial et à propos de votre visite à la clinique. Cet appel ne devrait pas prendre plus de environ 10 minutes.

Votre participation à cette étude est entièrement volontaire. Les informations recueillies lors de cet entretien seront traitées comme privées et confidentielles. Les données seront anonymisées et personne ne pourra retracer vos réponses à vous. Si vous ne souhaitez pas répondre à une des questions posées lors de l'entretien, vous pouvez simplement le dire et l'intervieweur passera à la question suivante. Si à un moment quelconque de l'entretien vous souhaitez arrêter complètement, vous pouvez simplement en informer l'intervieweur et raccrocher. Vous n'aurez jamais à justifier votre refus, ni de participer à l'entretien ni de ne pas vouloir répondre à une question. Votre refus ou acceptation de participer à cette étude n'affectera pas les soins ou les services que vous recevrez à l'avenir, dans cette clinique ni dans aucune autre clinique.

Soyez assuré qu'il n'y a pas de bonne ou de mauvaise réponse et que ce sont vos véritables expériences et vos propres opinions don't l'étude va en bénéficier le plus.

<p>Etes vous toujours d'accord de participer à cette étude?</p> <p>Si ce n'est pas un bon moment je peux vous rappeler quand cela vous conviendra mieux.</p> <p>E speaking_to==1</p>	<p>SINGLE-SELECT start</p> <p>02 <input type="radio"/> Est d'accord de participer maintenant</p> <p>01 <input type="radio"/> Est d'accord de participer mais prefere qu'on rappelle a un autre moment</p> <p>00 <input type="radio"/> Refuse de participer</p>
--	---

STATIC TEXT

E start==2

Quelques questions que je vais vous poser aujourd'hui concernant votre visite à la clinique pour les services de planification familiale. Vous préféreriez peut être compléter cet entretien a un endroit prive, ou personne ne puisse entendre vos reponses que vous ne voulez pas. Je peux attendre afin que vous vous deplaciez a un endroit plus prive ou plus calme avant de continuer.

INTERVIEW
QUESTIONS

E start==2

<p>Etes vous toujours en train d'utiliser le/la %mc_string%?</p> <p>E mc.InList (1,2)</p>	<p>SINGLE-SELECT larc stillusing</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Vous souvenez-vous de votre visite à HGOPY le %date_visit%, lorsque vous avez accepté de participer à cette étude? Depuis cette visite, êtes-vous déjà retourné dans une FOSA pour vous procurer une nouvelle réserve de pilules?</p> <p>E mc.InList (3)</p>	<p>SINGLE-SELECT sarc stillusing pill</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Vous souvenez-vous de votre visite à HGOPY le %date_visit%, lorsque vous avez accepté de participer à cette étude? Depuis cette visite, êtes-vous déjà retourné chez un FOSA pour recevoir une autre injection?</p> <p>E mc.InList (4)</p>	<p>SINGLE-SELECT sarc stillusing inje</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>A quelle date fut ceci?</p> <p>E sarc_stillusing_inje==1 sarc_stillusing_pill==1</p>	<p>DATE date_renewal_sarc</p> <p>.....</p>
<p>VARIABLE</p> <p>(larc_stillusing==1 && IsAnswered(larc_stillusing)) (sarc_stillusing_inje==1 && IsAnswered(sarc_stillusing_inje)) (sarc_stillusing_pill==1 && IsAnswered(larc_stillusing))</p>	<p>BOOLEAN renewed</p>

<p>Globalement, etes vous satisfaite de %mc_string%?</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>SINGLE-SELECT stillusing satisfied</p> <p>05 <input type="radio"/> Très satisfaite</p> <p>04 <input type="radio"/> Satisfaite</p> <p>03 <input type="radio"/> Ni satisfaite ni insatisfaite</p> <p>02 <input type="radio"/> Insatisfaite</p> <p>01 <input type="radio"/> Tres Insatisfaite</p> <p>-98 <input type="radio"/> Ne sais pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Avez-vous ressenti des effets secondaires avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>MULTI-SELECT: YES/NO stillusing se past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E stillusing_se_past.Yes.Contains(99)</p>	<p>TEXT stillusing se past_desc</p> <p>.....</p>
<p>Parmi les effets secondaires que vous venez de mentionner, en ressentez-vous encore quelques-uns?</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>F stillusing_se_past.Yes.Contains(@optioncode)</p> <p>E stillusing_se_past.Yes.Length>0</p>	<p>MULTI-SELECT: YES/NO stillusing se prsnt</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>Pour quelles raisons avez vous decider de ne plus utiliser %mc_string%?</p> <p>E renewed==false && ((IsAnswered(larc_stillusing) && larc_stillusing!=99) (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!=99) (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_p And 11 other symbols [1])</p>	<p>MULTI-SELECT why_quit</p> <p>01 <input type="checkbox"/> Effets secondaires</p> <p>02 <input type="checkbox"/> Oublié de renouveler</p> <p>03 <input type="checkbox"/> Trop cher</p> <p>04 <input type="checkbox"/> Discrétion</p> <p>05 <input type="checkbox"/> Pression du partenaire</p> <p>06 <input type="checkbox"/> Voudrais tomber enceinte</p> <p>99 <input type="checkbox"/> Autres</p> <p>-98 <input type="checkbox"/> Ne sais pas</p> <p>-99 <input type="checkbox"/> Refuse de repondre</p>

<p>Lesquels effets secondaires avez vous ressenti avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>E mc.InList(1,2,3,4) && renewed==false && why_quit.Contains(1)</p>	<p>MULTI-SELECT: YES/NO quit because se past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E quit_because_se_past.Yes.Contains(99)</p>	<p>TEXT quit because se past_desc</p> <p>.....</p>
<p>Globalement, etes vous satisfaite de %mc_string%?</p> <p>E // Did not renew LARC/SARC AND mc.InList(1,2,3,4) && renewed==false // (reasons why quit answered & does not include side effects OR && ((IsAnswered(why_quit) && !why_quit.Contains(1)) // And 150 other symbols [2]</p>	<p>SINGLE-SELECT quit satisfied</p> <p>05 <input type="radio"/> Très satisfaite</p> <p>04 <input type="radio"/> Satisfaite</p> <p>03 <input type="radio"/> Ni satisfaite ni insatisfaite</p> <p>02 <input type="radio"/> Insatisfaite</p> <p>01 <input type="radio"/> Tres Insatisfaite</p> <p>-98 <input type="radio"/> Ne sais pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Avez-vous ressenti des effets secondaires avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>E mc.InList(1,2,3,4) && renewed==false && !why_quit.Contains(1)</p>	<p>MULTI-SELECT: YES/NO quit nose se past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E quit_nose_se_past.Yes.Contains(99)</p>	<p>TEXT quit nose se past_desc</p> <p>.....</p>

<p>Quelle methodes contraceptives utilisez vous en ce moment?</p> <p>E // did not renew AND did not quit because patient wants to get pregnant renewed==false && !why_quit.Contains(6)</p>	<p>SINGLE-SELECT mc_new</p> <p>00 <input type="radio"/> Aucune</p> <p>01 <input type="radio"/> DUI</p> <p>02 <input type="radio"/> Implant</p> <p>03 <input type="radio"/> Pilule (COC ou POP)</p> <p>04 <input type="radio"/> Injection (DEPO)</p> <p>05 <input type="radio"/> Methode traditionnelle</p> <p>99 <input type="radio"/> Autre</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Pouvez-vous s'il vous plait decire cette methode?</p> <p>E mc_new==99 mc_new==5</p>	<p>TEXT mc_new_other</p> <p>.....</p>
<p>VARIABLE</p> <p>(mc_new==1) ? "IUD" : (mc_new==2) ? "IMPLANT" : (mc_new==3) ? "PILL" : (mc_new==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING mc_new_string</p>
<p>Globalement, etes vous satisfaite de %mc_string%?</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>SINGLE-SELECT mc_new_satisfied</p> <p>05 <input type="radio"/> Très satisfaite</p> <p>04 <input type="radio"/> Satisfaite</p> <p>03 <input type="radio"/> Ni satisfaite ni insatisfaite</p> <p>02 <input type="radio"/> Insatisfaite</p> <p>01 <input type="radio"/> Tres Insatisfaite</p> <p>-98 <input type="radio"/> Ne sais pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Avez-vous ressenti des effets secondaires avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>MULTI-SELECT: YES/NO mc_new_se</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E mc_new_se.Yes.Contains(99)</p>	<p>TEXT se_new_other</p> <p>.....</p>

<p>Lors de notre dernier appel téléphonique, vous aviez indiqué que vous étiez %agree_satisfied_past% avec la qualité des services de PF reçus à HGOPY.</p> <p>Selon vos souvenirs, laquelle des réponses suivantes décrit le mieux votre niveau de satisfaction actuel vis-à-vis de la qualité des services de PF que vous avez reçus à HGOPY ?</p> <p>I S'il vous plait lisez les reponses et en selectionnez une</p> <p>E mc==0 ((IsAnswered(larc_stillusing) larc_stillusing==99) (IsAnswered(sarc_stillusing_inje) larc_stillusing==99) (IsAnswered(sarc_stillusing_pill) larc_stillusing==99))</p>	<p>SINGLE-SELECT agree satisfied</p> <p>05 <input type="radio"/> Tres satisfaite</p> <p>04 <input type="radio"/> Satisfaite</p> <p>03 <input type="radio"/> Ni satisfaite ni insatisfaite</p> <p>02 <input type="radio"/> Insatisfaite</p> <p>01 <input type="radio"/> Tres insatisfaite</p> <p>-98 <input type="radio"/> Ne sais pas/Ne se rappelle pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
--	--

<p>Avec quelle probabilité pensez vous retourner a HGOPY pour les services de planning familial et de contraception?</p> <p>E mc==0 ((IsAnswered(larc_stillusing) larc_stillusing==99) (IsAnswered(sarc_stillusing_inje) larc_stillusing==99) (IsAnswered(sarc_stillusing_pill) larc_stillusing==99))</p>	<p>SINGLE-SELECT likely return</p> <p>05 <input type="radio"/> Tres probable</p> <p>04 <input type="radio"/> Probable</p> <p>03 <input type="radio"/> Ni probable ni improbable</p> <p>02 <input type="radio"/> Peu probable</p> <p>01 <input type="radio"/> Tres peu probable</p> <p>-98 <input type="radio"/> Ne sais pas/Ne se rappelle pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
---	--

<p>Utilisez vous d'autres formes de contraception?</p> <p>E (mc==0 ((IsAnswered(larc_stillusing) larc_stillusing==99) (IsAnswered(sarc_stillusing_inje) larc_stillusing==99) (IsAnswered(sarc_stillusing_pill) larc_stillusing==99))) IsAnswered(And 56 other symbols [3])</p>	<p>MULTI-SELECT mc other</p> <p>01 <input type="checkbox"/> Preservatifs (hommes)</p> <p>02 <input type="checkbox"/> Preservatifs (femmes)</p> <p>03 <input type="checkbox"/> Methodes traditionnelles</p>
---	--

<p>Meme si vous ne voulez pas participer a l'entretien telephonique d'aujourd'hui, est ce qu'on pourrais vous appeler dans 9 mois? Cet entretien sera tout aussi court.</p> <p>E start==0</p>	<p>SINGLE-SELECT call_3months</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p>
---	---

STATIC TEXT

E start==0

La patiente ne souhaite pas participer. Veuillez la remercier et raccrochez.

N'oubliez pas de compléter l'entretien sur la tablette.

<p>Pourrions nous arranger sur un certaine date et heure pour rappeler et parler avec %patient_name%?</p> <p>E speaking_to==1</p>	<p>SINGLE-SELECT call back</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p>
---	--

STATIC TEXT

E start==1 || (speaking_to==1 && call_back==1)

Veuillez arranger une heure et une date qui convient pour un autre rendez-vous telephonique. Une fois que vous avez accepté, veuillez remercier la personne et raccrocher.

N'oubliez pas de compléter l'entretien sur la tablette.

STATIC TEXT

E /// change back the start condition!!!! speaking_to==0 || (start==2 && IsAnswered(start))

" Veuillez lire cette déclaration à haute voix:

Merci beaucoup d'avoir participé à cet entretien, c'est tout pour l'instant. Nous vous rappellerons dans 9 mois pour vous poser quelques questions supplémentaires, comme convenu auparavant. Rappelez-vous que si vous changez d'avis vous pourrez toujours refuser de participer quand on vous appellera.

Y a-t-il un numéro de téléphone où vous préféreriez que nous vous contactions?

NUMERIC: INTEGER

phone

SPECIAL VALUES

-99 Non

E //// change back the start condition!!!! call_back==1 |
| (start==2 && IsAnswered(start))
E1 (self>99999999 && self<1000000000) || self== -99
M1 Le numéro de téléphone doit comporter 9 chiffres!

STATIC TEXT

E //// change back the start condition!!!! call_back==0 || speaking_to== -2 || (start==2 && IsAnswered(start))

L'entretien est terminée. Merci de remercier le répondant et raccrochez.

N'oubliez pas de compléter l'entretien sur la tablette.

APPENDIX A — ENABLING CONDITIONS

- [1] [why_quit](#): Pour quelles raisons avez vous décider de ne plus utiliser %mc_string%?

Enablement Condition:

```
renewed==false &&
((IsAnswered(larc_stillusing) && larc_stillusing!==-99)
 || (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!==-99)
 || (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_pill!==-99))
```

- [2] [quit_satisfied](#): Globalement, etes vous satisfaite de %mc_string%?

Enablement Condition:

```
// Did not renew LARC/SARC AND
mc.InList(1,2,3,4) && renewed==false
// (reasons why quit answered & does not include side effects OR
&& ((IsAnswered(why_quit) && !why_quit.Contains(1))
// reasons why quit include side effects & answered
 || (IsAnswered(quit_because_se_past) && why_quit.Contains(1) && IsAnswered(quit_because_se_past)))
```

- [3] [mc_other](#): Utilisez vous d'autres formes de contraception?

Enablement Condition:

```
(mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==--99)))
 || IsAnswered(stillusing_se_past) || IsAnswered(quit_satisfied)
```

APPENDIX B — INSTRUCTIONS

[1] [speaking_to](#): Avant de continuer, puis-je confirmer que je suis en train de parler avec %patient_name%?

Si vous êtes en train de parler à une personne autre que %patient_name%, demandez à cette personne si vous pouvez parler avec %patient_name%. Sélectionnez la touche "oui" uniquement lorsque vous serez en train de parler avec %patient_name%.

LEGEND

Legend and structure of information in this file

Name of section	Enabling condition for this section	Type of question, scope	Variable name
<p>SECTION 5: OTHER INCOME SOURCES</p> <p>E s4_other_sources_which.Contains(98)</p>	<p>Question title</p> <p>Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur?</p> <p>I This refers to family relations E s3_time_other > 0 V1 s4_re1_leaders_which.Contains(98) M1 Can not be itself V2 (s3_time_other_breeding_advice <= (50 - s3_time_art_insem_advice)) s3_time_other_breeding_advice == 0 M2 This person is not in the list F optioncode != s5_ignored_option_code</p>	<p>Answer options</p> <p>MULTI-SELECT SCOPE: PREFILLED</p> <p>01 <input type="checkbox"/> Community animal health workers</p> <p>02 <input type="checkbox"/> Private</p> <p>03 <input type="checkbox"/> Government</p> <p>04 <input type="checkbox"/> Livestock keepers association</p> <p>05 <input type="checkbox"/> NGO</p> <p>And 5 other [13]</p>	<p>s4_re1_leaders_other</p>
<p>Additional information:</p> <p>"I" – Question instruction</p> <p>"E" – Enabling condition</p> <p>"V1" – Validation condition №1</p> <p>"M1" – Message for validation №1</p> <p>"F" – Filter in Categorical questions</p>	<p>Link to full set in appendix</p>		

Breadcrumbs

Type or roster	Roster Title
CHAPTER 3 IDENTIFICATION / Roster;	LEADER RELATION DETAILS generated by fixed list:
01	Ward Livestock Officer
02	Village Livestock Officer
99	Other (specify)

List items

Not shared with anyone

HGOPY Follow up - 52 weeks

SURVEY IDENTIFICATION INFORMATION QUESTIONNAIRE DESCRIPTION

INTERVIEW

Sub-sections: 1, No rosters, Questions: 35, Static texts: 7, Variables: 3.

APPENDIX A — ENABLING CONDITIONS

APPENDIX B — VARIABLES

LEGEND

**SURVEY IDENTIFICATION INFORMATION
QUESTIONNAIRE DESCRIPTION**

Basic information

Title HGOPY Follow up - 52 weeks

INTERVIEW

<p>Name of patient</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>TEXT SCOPE: IDENTIFYING</p> <p>patient_name</p> <p>.....</p>
<p>Patient is aged<25 years</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING</p> <p>adolescent</p> <p>01 <input type="radio"/> Yes</p> <p>00 <input type="radio"/> No</p>
<p>Contraceptive method chosen during visit to clinic.</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING</p> <p>mc</p> <p>01 <input type="radio"/> IUD</p> <p>02 <input type="radio"/> Implant</p> <p>03 <input type="radio"/> Pill (COC or POP)</p> <p>04 <input type="radio"/> Injectable (DEPO)</p> <p>00 <input type="radio"/> None</p>
<p>VARIABLE</p> <p>(mc==1) ? "IUD" : (mc==2) ? "IMPLANT" : (mc==3) ? "PILL" : (mc==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING</p> <p>mc_string</p>
<p>Date of visit to the clinic</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>DATE SCOPE: IDENTIFYING</p> <p>date_visit</p> <p>.....</p>
<p>How satisfied was this person of FOSA services in the past?</p> <p>I This is a prefilled variable, it will be loaded into the tablet before the interview is assigned to the interviewer and not shown during the interview unless it is called in a piece of text.</p>	<p>TEXT SCOPE: IDENTIFYING</p> <p>agree_satisfied_past</p> <p>.....</p>
<p>Please press this button to begin.</p>	<p>DATE: CURRENT TIME</p> <p>datetime</p> <p>.....</p>

STATIC TEXT

E IsAnswered(datetime)

Please read this statement out loud:

Hi my name is [...interviewer name...], I work for [...Organization...] and I am calling on behalf of a research team from the Ministry of Public Health and the World Bank.

Before I continue may I confirm that I am speaking to %patient_name%?

I If you are speaking to someone other than %patient_name%, ask this person whether you can speak to %patient_name%. Select 'yes' only once you are talking to %patient_name%.

E IsAnswered(datetime)

SINGLE-SELECT

speaking to

01 Yes

-01 The patient is not available right now

-02 The respondent does not know who the patient is

STATIC TEXT

E speaking_to==1

Please read this statement out loud:

You may remember that at the end of your visit at HGOPY we asked you if you would agree to participate in a research study. At the time you had said yes and signed a consent form where you agreed to conduct three short phone interviews.

This is the third and last phone interview of this study. If you still agree to participate, I will ask you a few questions about your visit to the clinic, which should take no longer than 10 minutes.

Your participation in this study is entirely voluntary. The information you give during the interview will be treated as private and confidential. The information collected in this interview will be anonymized and no one will be able to trace your answers back to you. If you do not wish to answer any of the questions asked during the interview you can say so and the interviewer will move on to the next question. If at any point during the interview you want to stop the interview entirely you can simply tell the interviewer and you can stop. You will never have to provide any reason for refusing to take part in the interview or for not wanting to respond to any question. Your refusal to participate in this study, or your acceptance, will not affect the care or services you will receive in the future, in this clinic nor in any other clinic.

Please be assured that there are no right or wrong answers and that it is your own experiences and your own opinions that are valuable to inform the study.

<p>Would you still like to participate in this study?</p> <p>If this is not a good time I can call you back when it is more convenient for you.</p> <p>E speaking_to==1</p>	<p>SINGLE-SELECT start</p> <p>02 <input type="radio"/> Agrees to participate now</p> <p>01 <input type="radio"/> Agrees to participate but wants to reschedule the call</p> <p>00 <input type="radio"/> Refuses to participate</p>
---	---

STATIC TEXT

E start==2

A couple of the questions I will ask you today are about contraception and your visit to the clinic for family planning services. You might want some privacy while answering these questions. I can wait while you move to a safer/more quiet place.

INTERVIEW

STUDY QUESTIONS

E start==2

<p>Are you still using the %mc_string%?</p> <p>E mc.InList(1,2)</p>	<p>SINGLE-SELECT larc stillusing</p> <p>01 <input type="radio"/> Yes</p> <p>00 <input type="radio"/> No</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Do you remember your visit to HGOPI on the %date_visit%, when you had agreed to participate in this study. Since that visit, have you ever gone back to a FOSA to get a new supply of pills?</p> <p>E mc.InList(3)</p>	<p>SINGLE-SELECT sarc_stillusing_pill</p> <p>01 <input type="radio"/> Yes</p> <p>00 <input type="radio"/> No</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Do you remember your visit to HGOPI on the %date_visit%, when you had agreed to participate in this study. Since that visit, have you ever gone back to a FOSA to get another injection?</p> <p>E mc.InList(4)</p>	<p>SINGLE-SELECT sarc_stillusing_inje</p> <p>01 <input type="radio"/> Yes</p> <p>00 <input type="radio"/> No</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Approximately when was the last time you went to a clinic to get a new supply of pills?</p> <p>E sarc_stillusing_pill==1</p>	<p>DATE date renewal pill</p> <p>.....</p>
<p>Approximately when was the last time you went to a clinic to get a new injection?</p> <p>E sarc_stillusing_inje==1</p>	<p>DATE date_renewal_inje</p> <p>.....</p>

<p>VARIABLE</p> <pre>(larc_stillusing==1 && IsAnswered(larc_stillusing)) ((sarc_stillusing_inje==1 && IsAnswered(sarc_stillusing_inje)) && (date_renewal_inje.InRange(datetime.Value.AddMonths(-2),datetime))) ((sarc</pre> <p>And 123 other symbols [1]</p>	<p>BOOLEAN</p> <p>renewed</p>
<p>Overall, how satisfied are you with %mc_string%?</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>SINGLE-SELECT</p> <p>stillusing_satisfied</p> <p>05 <input type="radio"/> Very satisfied</p> <p>04 <input type="radio"/> Satisfied</p> <p>03 <input type="radio"/> Neither satisfied nor dissatisfied</p> <p>02 <input type="radio"/> Dissatisfied</p> <p>01 <input type="radio"/> Very dissatisfied</p> <p>-98 <input type="radio"/> Don't know</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Did you experience any side effects with %mc_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.</p> <p>I Please read each answer choice out loud.</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>MULTI-SELECT: YES/NO</p> <p>stillusing_se_past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Bleeding increase</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Bleeding decrease</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Painful bleeding</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Weight gain</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Weight loss</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Headaches</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Dizziness</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Abdominal pain</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Pain in the arm</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Mood changes</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Depression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Other</p>
<p>Please describe what other side effects you experienced?</p> <p>E stillusing_se_past.Yes.Contains(99)</p>	<p>TEXT</p> <p>stillusing_se_past_desc</p> <p>.....</p>
<p>Of the side effects you just mentioned, are you still experiencing any of them?</p> <p>I Please read each answer choice out loud.</p> <p>F stillusing_se_past.Yes.Contains(@optioncode)</p> <p>E stillusing_se_past.Yes.Length>0</p>	<p>MULTI-SELECT: YES/NO</p> <p>stillusing_se_prsnt</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Bleeding increase</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Bleeding decrease</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Painful bleeding</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Weight gain</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Weight loss</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Headaches</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Dizziness</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Abdominal pain</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Pain in the arm</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Mood changes</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Depression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Other</p>

Why did you decide to stop using %mc_string%?

E renewed==false && ((IsAnswered(larc_stillusing) && larc_stillusing!=99) || (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!=99) || (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_pill) [And 11 other symbols \[1\]](#)

MULTI-SELECT

why_quit

- 01 Side effects
- 02 Forgot to renew
- 03 Too expensive to renew
- 04 Discreteness
- 05 Pressure from partner
- 06 Want to get pregnant
- 99 Other
- 98 Don't know
- 99 Refused to respond

Which side effects did you experience with %mc_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.

I Please read each answer choice out loud.

E mc.InList(1,2,3,4) && renewed==false && why_quit.Contains(1)

MULTI-SELECT: YES/NO

quit_because_se_past

- 01 / Bleeding increase
- 02 / Bleeding decrease
- 03 / Painful bleeding
- 04 / Weight gain
- 05 / Weight loss
- 06 / Headaches
- 07 / Dizziness
- 08 / Abdominal pain
- 09 / Pain in the arm
- 10 / Mood changes
- 11 / Depression
- 12 / Acne
- 99 / Other

Please describe what other side effects you experienced?

E quit_because_se_past.Yes.Contains(99)

TEXT

quit_because_se_past_desc

.....

Overall, how satisfied were you with %mc_string%?

E // Did not renew LARC/SARC AND mc.InList(1,2,3,4) && renewed==false // (reasons why quit answered & does not include side effects OR && ((IsAnswered(why_quit) && !why_quit.Contains(1)) // [And 150 other symbols \[2\]](#)

SINGLE-SELECT

quit_satisfied

- 05 Very satisfied
- 04 Satisfied
- 03 Neither satisfied nor dissatisfied
- 02 Dissatisfied
- 01 Very dissatisfied
- 98 Don't know
- 99 Refused to respond

Did you experience any side effects with %mc_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.

I Please read each answer choice out loud.

E mc.InList(1,2,3,4) && renewed==false && !why_quit.Contains(1)

MULTI-SELECT: YES/NO

quit_nose_se_past

- 01 / Bleeding increase
- 02 / Bleeding decrease
- 03 / Painful bleeding
- 04 / Weight gain
- 05 / Weight loss
- 06 / Headaches
- 07 / Dizziness
- 08 / Abdominal pain
- 09 / Pain in the arm
- 10 / Mood changes
- 11 / Depression
- 12 / Acne
- 99 / Other

<p>Please describe what other side effects you experienced?</p> <p>E quit_nose_se_past.Yes.Contains(99)</p>	<p>TEXT quit_nose_se_past_desc</p> <p>.....</p>
<p>What method are you using now?</p> <p>E // did not renew AND did not quit because patient wants to get pregnant renewed==false && !why_quit.Contains(6)</p>	<p>SINGLE-SELECT mc_new</p> <p>00 <input type="radio"/> None</p> <p>01 <input type="radio"/> IUD</p> <p>02 <input type="radio"/> Implant</p> <p>03 <input type="radio"/> Pill (COC or POP)</p> <p>04 <input type="radio"/> Injectable (DEPO)</p> <p>05 <input type="radio"/> Traditional methods</p> <p>99 <input type="radio"/> Other</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Please describe this other method?</p> <p>E mc_new==99 mc_new==5</p>	<p>TEXT mc_new_other</p> <p>.....</p>
<p>VARIABLE</p> <p>(mc_new==1) ? "IUD" : (mc_new==2) ? "IMPLANT" : (mc_new==3) ? "PILL" : (mc_new==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING mc_new_string</p>
<p>Overall, how satisfied are you with %mc_new_string%?</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>SINGLE-SELECT mc_new_satisfied</p> <p>05 <input type="radio"/> Very satisfied</p> <p>04 <input type="radio"/> Satisfied</p> <p>03 <input type="radio"/> Neither satisfied nor dissatisfied</p> <p>02 <input type="radio"/> Dissatisfied</p> <p>01 <input type="radio"/> Very dissatisfied</p> <p>-98 <input type="radio"/> Don't know</p> <p>-99 <input type="radio"/> Refused to respond</p>
<p>Are experiencing any side effects with %mc_new_string%? I will read a list of side effects and you tell me Yes/No if you experienced any one of them.</p> <p>I Please read each answer choice out loud.</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>MULTI-SELECT: YES/NO mc_new_se</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Bleeding increase</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Bleeding decrease</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Painful bleeding</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Weight gain</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Weight loss</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Headaches</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Dizziness</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Abdominal pain</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Pain in the arm</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Mood changes</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Depression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Other</p>
<p>Please describe what other side effects you experienced?</p> <p>E mc_new_se.Yes.Contains(99)</p>	<p>TEXT se_new_other</p> <p>.....</p>

In our last telephone call, you had mentioned that you were %agree_satisfied_past% with the quality of FP services received at HGOPY.

Looking back, which of the following best describes your present level of satisfaction with the quality of FP services you received at HGOPY"?

I Please read response options to the respondent. Select one.

E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

SINGLE-SELECT agree_satisfied

- 05 Very satisfied
- 04 Satisfied
- 03 Neither satisfied nor dissatisfied
- 02 Dissatisfied
- 01 Very dissatisfied
- 98 Don't know
- 99 Refused to respond

How likely are you to return to HGOPY if you needed services related to contraception and family planning?

E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

SINGLE-SELECT likely_return

- 05 Very likely
- 04 Likely
- 03 Neither likely nor unlikely
- 02 Unlikely
- 01 Very unlikely
- 98 Don't know
- 99 Refused to respond

Are you using any other forms of contraception?

E (mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))) || IsAn [And 56 other symbols \[3\]](#)

MULTI-SELECT mc_other

- 01 Male condoms
- 02 Female Condoms
- 03 Traditional methods list

Are you currently pregnant?

E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

SINGLE-SELECT pregnant

- 01 Yes
- 00 No
- 98 Don't know/Not sure
- 99 Refused to respond

Even if you do not want to participate in this interview, can we call you in 9 months for the next follow up interview?

E start==0

SINGLE-SELECT call_3months

- 01 Yes
- 00 No

STATIC TEXT

E start==0

The respondent does not wish to be interviewed, please thank the respondent and hang up.

Please don't forget to complete and submit the interview.

Could we arrange a time when I can call back and talk to %patient_name%?

E speaking_to==1

SINGLE-SELECT call_back

- 01 Yes
- 00 No

STATIC TEXT

E start==1 || (speaking_to==1 && call_back==1)

Please arrange a time and date to call back, once you have agreed please thank the respondent and hang up.

Please don't forget to complete and submit the interview.

STATIC TEXT

E //// change back the start condition!!!! speaking_to==0 || (start==2 && IsAnswered(start))

Please read this statement out loud:

Thank you very much for participating in this interview, this is it for now. We will call you again in about 9 months time to ask you a few more questions, as we had agreed before. Remember that if you change your mind before then you will still be able to refuse to participate.

<p>Is there a phone number where you would prefer us to contact you on?</p> <p>E /// change back the start condition!!!! call_back==1 (start==2 && IsAnswered(start))</p> <p>E1 (self>99999999 && self<1000000000) self==99</p> <p>M1 The phone number must be 9 digits long!</p>	<p>NUMERIC: INTEGER phone</p> <p>-----</p> <p>SPECIAL VALUES</p> <p>-99 No</p>
--	---

STATIC TEXT

E /// change back the start condition!!!! call_back==0 || speaking_to==2 || (start==2 && IsAnswered(start))

The interview has ended, please thank the respondent and hang up.

Please don't forget to complete and submit the interview.

APPENDIX A — ENABLING CONDITIONS

- [1] **why_quit: Why did you decide to stop using %mc_string%?**

Enablement Condition:

```
renewed==false &&
((IsAnswered(larc_stillusing) && larc_stillusing!=-99)
 || (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!=-99)
 || (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_pill!=-99))
```

- [2] **quit_satisfied: Overall, how satisfied were you with %mc_string%?**

Enablement Condition:

```
// Did not renew LARC/SARC AND
mc.InList(1,2,3,4) && renewed==false
// (reasons why quit answered & does not include side effects OR
&& ((IsAnswered(why_quit) && !why_quit.Contains(1))
// reasons why quit include side effects & answered
 || (IsAnswered(quit_because_se_past) && why_quit.Contains(1) && IsAnswered(quit_because_se_past)))
```

- [3] **mc_other: Are you using any other forms of contraception?**

Enablement Condition:

```
(mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==--99)))
 || IsAnswered(stillusing_se_past) || IsAnswered(quit_satisfied)
```

APPENDIX B — VARIABLES

```
[1] renewed:  
(larc_stillusing==1 && IsAnswered(larc_stillusing)) || ((sarc_stillusing_inje==1 && IsAnswered(sarc_stillusing_inje)) &&  
(date_renewal_inje.InRange(datetime.Value.AddMonths(-2),datetime))) || ((sarc_stillusing_pill==1 && IsAnswered(larc_stillusing)) &&  
(date_renewal_pill.InRange(datetime.Value.AddMonths(-2),datetime)))
```

LEGEND

Legend and structure of information in this file

Name of section	Enabling condition for this section	Type of question, scope	Variable name
<p>SECTION 5: OTHER INCOME SOURCES</p> <p>E s4_other_sources_which.Contains(98)</p>	<p>Question title</p> <p>Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur?</p> <p>I This refers to family relations E s3_time_other > 0 V1 s4_re1_leaders_which.Contains(98) M1 Can not be itself V2 (s3_time_other_breeding_advice <= (50 - s3_time_art_insem_advice)) s3_time_other_breeding_advice == 0 M2 This person is not in the list F optioncode != s5_ignored_option_code</p>	<p>Answer options</p> <p>MULTI-SELECT SCOPE: PREFILLED</p> <p>01 <input type="checkbox"/> Community animal health workers 02 <input type="checkbox"/> Private 03 <input type="checkbox"/> Government 04 <input type="checkbox"/> Livestock keepers association 05 <input type="checkbox"/> NGO</p> <p>And 5 other [13]</p>	<p>s4_re1_leaders_other</p>
<p>Additional information:</p> <p>"I" – Question instruction "E" – Enabling condition "V1" – Validation condition №1 "M1" – Message for validation №1 "F" – Filter in Categorical questions</p>	<p>Link to full set in appendix</p>		

Breadcrumbs

Type or roster	Roster Title
CHAPTER 3 IDENTIFICATION / Roster:	LEADER RELATION DETAILS generated by fixed list:
01	Ward Livestock Officer
02	Village Livestock Officer
99	Other (specify)

List items

Not shared with anyone

HGOPY Follow up - 52 weeks

SURVEY IDENTIFICATION INFORMATION QUESTIONNAIRE DESCRIPTION

INTERVIEW

Sub-sections: 1, No rosters, Questions: 35, Static texts: 7, Variables: 3.

APPENDIX A — ENABLING CONDITIONS

APPENDIX B — INSTRUCTIONS

APPENDIX C — VARIABLES

LEGEND

**SURVEY IDENTIFICATION INFORMATION
QUESTIONNAIRE DESCRIPTION**

Basic information

Title HGOPY Follow up - 52 weeks

INTERVIEW

<p>Nom de la patiente</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>TEXT SCOPE: IDENTIFYING patient_name</p> <p>.....</p>
<p>La patiente a moins de 25 ans</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING adolescent</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p>
<p>Methode contraceptive choisie durant la visite a la FOSA</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>SINGLE-SELECT SCOPE: IDENTIFYING mc</p> <p>01 <input type="radio"/> DUI</p> <p>02 <input type="radio"/> Implant</p> <p>03 <input type="radio"/> Pilule (COC ou POP)</p> <p>04 <input type="radio"/> Injection (DEPO)</p> <p>00 <input type="radio"/> Aucune</p>
<p>VARIABLE</p> <p>(mc==1) ? "IUD" : (mc==2) ? "IMPLANT" : (mc==3) ? "PILL" : (mc==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING mc_string</p>
<p>Date de la visite a la FOSA</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>DATE SCOPE: IDENTIFYING date_visit</p> <p>.....</p>
<p>Niveau de satisfaction de la cliente lors du premier entretien telephonique</p> <p>I Il s'agit d'une variable préremplie. Elle sera chargée dans la tablette av antl'entretien et ne sera pas affichée durant, sauf si elle est appelée d ans la construction d'une variable ou dans un texte.</p>	<p>TEXT SCOPE: IDENTIFYING agree_satisfied_past</p> <p>.....</p>
<p>S'il vous plait, pressez ce bouton pour commencer.</p>	<p>DATE: CURRENT TIME datetime</p> <p>.....</p>

STATIC TEXT

E IsAnswered (datetime)

S'il vous plait lisez cet information a voix haute:

Bonjour, je m'appelle [...votre nom...], je travaille pour [...votre organization...] et je vous appelle de la part d'une equipe de chercheurs du Ministere de la Sante Publique et de la Banque Mondiale.

Avant de continuer, puis-je confirmer que je suis en train de parler avec %patient_name%?

I Si vous etes en train de parler a une personne autre que %patient_name%, demandez a cette personne si vous pouvez parler avec %patient_name%. Selectionnez la touche "oui" uniquement lorsque vous serez [And 40 other symbols \[1\]](#)

E IsAnswered (datetime)

SINGLE-SELECT speaking_to

01 Oui

-01 La patiente n'est pas disponible en ce moment.

-02 La personne au telephone ne sait pas qui est la patiente.

STATIC TEXT

E speaking_to==1

" Veuillez lire cette déclaration à haute voix:

Vous vous rappelez peut-être qu'à la fin de votre visite à HGOPY, nous vous avons demandé si vous accepteriez de participer à une étude. À ce moment-là, vous avez dit oui et vous avez signé un formulaire de consentement et vous avez accepté de participer a trois courts entretiens téléphoniques.

Cet appel est le troisieme et dernier entretien téléphonique de cette étude. Si vous etes toujours d'accord de participer, je vais vous poser quelques questions a propos de vos experiences avec le planning familial et a propos de votre visite à la clinique. Cet appel ne devrait pas prendre plus de environ 10 minutes.

Votre participation à cette étude est entièrement volontaire. Les informations recueillies lors de cet entretien seront traitées comme privées et confidentielles. Les données seront anonymisées et personne ne pourra retracer vos réponses a vous. Si vous ne souhaitez pas répondre à une des questions posées lors de l'entretien, vous pouvez simplement le dire et l'intervieweur passera à la question suivante. Si à un moment quelconque de l'entretien vous souhaitez arrêter complètement, vous pouvez simplement en informer l'intervieweur et raccrocher. Vous n'aurez jamais à justifier votre refus, ni de participer à l'entretien ni de ne pas vouloir répondre à une question. Votre refus ou acceptation de participer à cette étude n'affectera pas les soins ou les services que vous recevrez à l'avenir, dans cette clinique ni dans aucune autre clinique.

Soyez assuré qu'il n'y a pas de bonne ou de mauvaise réponse et que ce sont vos veritables expériences et vos propres opinions don't l'étude va en beneficier le plus.

<p>Etes vous toujours d'accord de participer à cette étude?</p> <p>Si ce n'est pas un bon moment je peux vous rappeler quand cela vous conviendra mieux.</p> <p>E speaking_to==1</p>	<p>SINGLE-SELECT start</p> <p>02 <input type="radio"/> Est d'accord de participer maintenant</p> <p>01 <input type="radio"/> Est d'accord de participer mais prefere qu'on rappelle a un autre moment</p> <p>00 <input type="radio"/> Refuse de participer</p>
--	---

STATIC TEXT

E start==2

Quelques questions que je vais vous poser aujourd'hui concernant votre visite à la clinique pour les services de planification familiale. Vous prefereriez peut etre completer cet entretien a un endroit prive, ou personne ne puisse entendre vos reponses que vous ne voulez pas. Je peux attendre afin que vous vous deplaciez a un endroit plus prive ou plus calme avant de continuer.

INTERVIEW
QUESTIONS

E start==2

<p>Etes vous toujours en train d'utiliser le/la %mc_string%?</p> <p>E mc.InList (1,2)</p>	<p>SINGLE-SELECT larc stillusing</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Vous souvenez-vous de votre visite à HGOPY le %date_visit%, lorsque vous avez accepté de participer à cette étude? Depuis cette visite, êtes-vous déjà retourné dans une FOSA pour vous procurer une nouvelle réserve de pilules?</p> <p>E mc.InList (3)</p>	<p>SINGLE-SELECT sarc stillusing pill</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Vous souvenez-vous de votre visite à HGOPY le %date_visit%, lorsque vous avez accepté de participer à cette étude? Depuis cette visite, êtes-vous déjà retourné chez un FOSA pour recevoir une autre injection?</p> <p>E mc.InList (4)</p>	<p>SINGLE-SELECT sarc stillusing inje</p> <p>01 <input type="radio"/> Oui</p> <p>00 <input type="radio"/> Non</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Approximativement, a quelle date fut la derniere fois que vous avez etee a une formation sanitaire pour un nouvel approvisionnement de pilules?</p> <p>E sarc_stillusing_pill==1</p>	<p>DATE date_renewal_pill</p> <p>.....</p>

<p>Approximativement, a quelle date fut la derniere fois que vous avez etee a une formation sanitaire pour une nouvelle injection?</p> <p>E sarc_stillusing_inje==1</p>	<p>DATE date_renewal_inje</p> <p>.....</p>
<p>VARIABLE</p> <pre>(larc_stillusing==1 && IsAnswered(larc_stillusing)) ((sarc_stillusing_inje==1 && IsAnswered(sarc_stillusing_inje)) && (date_renewal_inje.InRange(datetime.Value.AddMonths(-2),datetime))) ((sarc</pre> <p>And 123 other symbols [1]</p>	<p>BOOLEAN renewed</p>
<p>Globalement, etes vous satisfaite de %mc_string%?</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>SINGLE-SELECT stillusing_satisfied</p> <p>05 <input type="radio"/> Très satisfaite</p> <p>04 <input type="radio"/> Satisfaite</p> <p>03 <input type="radio"/> Ni satisfaite ni insatisfaite</p> <p>02 <input type="radio"/> Insatisfaite</p> <p>01 <input type="radio"/> Tres Insatisfaite</p> <p>-98 <input type="radio"/> Ne sais pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Avez-vous ressenti des effets secondaires avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>E mc.InList(1,2,3,4) && renewed==true</p>	<p>MULTI-SELECT: YES/NO stillusing_se_past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E stillusing_se_past.Yes.Contains(99)</p>	<p>TEXT stillusing_se_past_desc</p> <p>.....</p>
<p>Parmi les effets secondaires que vous venez de mentionner, en ressentez-vous encore quelques-uns?</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>F stillusing_se_past.Yes.Contains(@optioncode)</p> <p>E stillusing_se_past.Yes.Length>0</p>	<p>MULTI-SELECT: YES/NO stillusing_se_prsnt</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>

<p>Pour quelles raisons avez vous decider de ne plus utiliser %mc_string%?</p> <p>E renewed==false && ((IsAnswered(larc_stillusing) && larc_stillusing!=99) (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!=99) (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_pill) And 11 other symbols [1]</p> <p>I S'il vous plait lisez chaque option a voix haute.</p> <p>E mc.InList(1,2,3,4) && renewed==false && why_quit.Contains(1)</p>	<p>MULTI-SELECT why_quit</p> <p>01 <input type="checkbox"/> Effets secondaires</p> <p>02 <input type="checkbox"/> Oublié de renouveler</p> <p>03 <input type="checkbox"/> Trop cher</p> <p>04 <input type="checkbox"/> Discrétion</p> <p>05 <input type="checkbox"/> Pression du partenaire</p> <p>06 <input type="checkbox"/> Voudrais tomber enceinte</p> <p>99 <input type="checkbox"/> Autres</p> <p>-98 <input type="checkbox"/> Ne sais pas</p> <p>-99 <input type="checkbox"/> Refuse de repondre</p>
<p>Lesquels effets secondaires avez vous ressenti avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voix haute.</p> <p>E mc.InList(1,2,3,4) && renewed==false && why_quit.Contains(1)</p>	<p>MULTI-SELECT: YES/NO quit_because_se_past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignement douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E quit_because_se_past.Yes.Contains(99)</p>	<p>TEXT quit_because_se_past_desc</p> <p>.....</p>
<p>Globalement, etes vous satisfaite de %mc_string%?</p> <p>E // Did not renew LARC/SARC AND mc.InList(1,2,3,4) && renewed==false // (reasons why quit answered & does not include side effects OR && ((IsAnswered(why_quit) && !why_quit.Contains(1)) // And 150 other symbols [2]</p>	<p>SINGLE-SELECT quit_satisfied</p> <p>05 <input type="radio"/> Très satisfaite</p> <p>04 <input type="radio"/> Satisfaite</p> <p>03 <input type="radio"/> Ni satisfaite ni insatisfaite</p> <p>02 <input type="radio"/> Insatisfaite</p> <p>01 <input type="radio"/> Tres Insatisfaite</p> <p>-98 <input type="radio"/> Ne sais pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Avez-vous ressenti des effets secondaires avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voix haute.</p> <p>E mc.InList(1,2,3,4) && renewed==false && !why_quit.Contains(1)</p>	<p>MULTI-SELECT: YES/NO quit_nose_se_past</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignement douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>

<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E quit_nose_se_past.Yes.Contains(99)</p>	<p>TEXT quit_nose_se_past_desc</p> <p>.....</p>
<p>Quelle methodes contraceptives utilisez vous en ce moment?</p> <p>E // did not renew AND did not quit because patient wants to get pregnant renewed==false && !why_quit.Contains(6)</p>	<p>SINGLE-SELECT mc_new</p> <p>00 <input type="radio"/> Aucune</p> <p>01 <input type="radio"/> DUI</p> <p>02 <input type="radio"/> Implant</p> <p>03 <input type="radio"/> Pilule (COC ou POP)</p> <p>04 <input type="radio"/> Injection (DEPO)</p> <p>05 <input type="radio"/> Methode traditionnelle</p> <p>99 <input type="radio"/> Autre</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Pouvez-vous s'il vous plait decrire cette methode?</p> <p>E mc_new==99 mc_new==5</p>	<p>TEXT mc_new_other</p> <p>.....</p>
<p>VARIABLE</p> <p>(mc_new==1) ? "IUD" : (mc_new==2) ? "IMPLANT" : (mc_new==3) ? "PILL" : (mc_new==4) ? "INJECTABLE" : "NONE"</p>	<p>STRING mc_new_string</p>
<p>Globalement, etes vous satisfaite de %mc_string%?</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>SINGLE-SELECT mc_new_satisfied</p> <p>05 <input type="radio"/> Très satisfaite</p> <p>04 <input type="radio"/> Satisfaite</p> <p>03 <input type="radio"/> Ni satisfaite ni insatisfaite</p> <p>02 <input type="radio"/> Insatisfaite</p> <p>01 <input type="radio"/> Tres Insatisfaite</p> <p>-98 <input type="radio"/> Ne sais pas</p> <p>-99 <input type="radio"/> Refuse de repondre</p>
<p>Avez-vous ressenti des effets secondaires avec %mc_string%? Je lirai une liste d'effets secondaires et vous me direz oui / non si vous les avez ressenti.</p> <p>I S'il vous plait lisez chaque option a voiz haute.</p> <p>E mc_new.InList(1,2,3,4)</p>	<p>MULTI-SELECT: YES/NO mc_new_se</p> <p>01 <input type="checkbox"/> / <input type="checkbox"/> Saignement plus fort</p> <p>02 <input type="checkbox"/> / <input type="checkbox"/> Saignement moins fort</p> <p>03 <input type="checkbox"/> / <input type="checkbox"/> Saignment douloureux</p> <p>04 <input type="checkbox"/> / <input type="checkbox"/> Gain de poids</p> <p>05 <input type="checkbox"/> / <input type="checkbox"/> Perte de poids</p> <p>06 <input type="checkbox"/> / <input type="checkbox"/> Maux de tête</p> <p>07 <input type="checkbox"/> / <input type="checkbox"/> Vertiges/Etourdissements/Désorientation</p> <p>08 <input type="checkbox"/> / <input type="checkbox"/> Douleur abdominales</p> <p>09 <input type="checkbox"/> / <input type="checkbox"/> Douleur au bras</p> <p>10 <input type="checkbox"/> / <input type="checkbox"/> Changements d'humeur</p> <p>11 <input type="checkbox"/> / <input type="checkbox"/> Dépression</p> <p>12 <input type="checkbox"/> / <input type="checkbox"/> Acne</p> <p>99 <input type="checkbox"/> / <input type="checkbox"/> Autres</p>
<p>S'il vous plait décrivez en plus de détail les autres effets secondaires ressentis</p> <p>E mc_new_se.Yes.Contains(99)</p>	<p>TEXT se_new_other</p> <p>.....</p>

Lors de notre dernier appel téléphonique, vous aviez indiqué que vous étiez %agree_satisfied_past% avec la qualité des services de PF reçus à HGOPY.

Selon vos souvenirs, laquelle des réponses suivantes décrit le mieux votre niveau de satisfaction actuel vis-à-vis de la qualité des services de PF que vous avez reçus à HGOPY ?

I S'il vous plait lisez les reponses et en selectionnez une

E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

SINGLE-SELECT

agree satisfied

- 05 Tres satisfaite
- 04 Satisfaite
- 03 Ni satisfaite ni insatisfaite
- 02 Insatisfaite
- 01 Tres insatisfaite
- 98 Ne sais pas/Ne se rappelle pas
- 99 Refuse de repondre

Avec quelle probabilite pensez vous retourner a HGOPY pour les services de planning familial et de contraception?

E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

SINGLE-SELECT

likely return

- 05 Tres probable
- 04 Probable
- 03 Ni probable ni improbable
- 02 Peu probable
- 01 Tres peu probable
- 98 Ne sais pas/Ne se rappelle pas
- 99 Refuse de repondre

Utilisez vous d'autres formes de contraception?

E (mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))) || IsAnswered(And 56 other symbols [3])

MULTI-SELECT

mc_other

- 01 Preservatifs (hommes)
- 02 Preservatifs (femmes)
- 03 Methodes traditionnelles

Etes vous enceinte en ce moment?

E mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==99) || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==99))

SINGLE-SELECT

pregnant

- 01 Oui
- 00 Non
- 98 Ne sais pas/N'est pas sure
- 99 Refuse de repondre

Meme si vous ne voulez pas participer a l'entretien telephonique d'aujourd'hui, est ce qu'on pourrais vous appeler dans 9 mois? Cet entretien sera tout aussi court.

E start==0

SINGLE-SELECT

call_3months

- 01 Oui
- 00 Non

STATIC TEXT

E start==0

La patiente ne souhaite pas participer. Veuillez la remercier et raccrochez.

N'oubliez pas de compléter l'entretien sur la tablette.

Pourrions nous arranger sur un certaine date et heure pour rappeler et parler avec %patient_name%?

E speaking_to==1

SINGLE-SELECT

call_back

- 01 Oui
- 00 Non

STATIC TEXT

E start==1 || (speaking_to==1 && call_back==1)

Veuillez arranger une heure et une date qui convient pour un autre rendez-vous telephonique. Une fois que vous avez accepté, veuillez remercier la personne et raccrocher.

N'oubliez pas de compléter l'entretien sur la tablette.

STATIC TEXT

E //// change back the start condition!!!! speaking_to==0 || (start==2 && IsAnswered(start))

" Veuillez lire cette déclaration à haute voix:

Merci beaucoup d'avoir participé à cet entretien, c'est tout pour l'instant. Nous vous rappellerons dans 9 mois pour vous poser quelques questions supplémentaires, comme convenu auparavant. Rappelez-vous que si vous changez d'avis vous pourrez toujours refuser de participer quand on vous appellera.

Y a-t-il un numéro de téléphone où vous préféreriez que nous vous contactions?

NUMERIC: INTEGER

phone

E //// change back the start condition!!!! call_back==1 | (start==2 && IsAnswered(start))

SPECIAL VALUES

-99 Non

E1 (self>99999999 && self<1000000000) || self==--99

M1 Le numéro de téléphone doit comporter 9 chiffres!

STATIC TEXT

E //// change back the start condition!!!! call_back==0 || speaking_to==--2 || (start==2 && IsAnswered(start))

L'entretien est terminée. Merci de remercier le répondant et raccrochez.

N'oubliez pas de compléter l'entretien sur la tablette.

APPENDIX A — ENABLING CONDITIONS

- [1] **why_quit: Pour quelles raisons avez vous decider de ne plus utiliser %mc_string%?**

Enablement Condition:

```
renewed==false &&
((IsAnswered(larc_stillusing) && larc_stillusing!==-99)
 || (IsAnswered(sarc_stillusing_inje) && sarc_stillusing_inje!==-99)
 || (IsAnswered(sarc_stillusing_pill) && sarc_stillusing_pill!==-99))
```

- [2] **quit_satisfied: Globalement, etes vous satisfaite de %mc_string%?**

Enablement Condition:

```
// Did not renew LARC/SARC AND
mc.InList(1,2,3,4) && renewed==false
// (reasons why quit answered & does not include side effects OR
&& ((IsAnswered(why_quit) && !why_quit.Contains(1))
// reasons why quit include side effects & answered
 || (IsAnswered(quit_because_se_past) && why_quit.Contains(1) && IsAnswered(quit_because_se_past)))
```

- [3] **mc_other: Utilisez vous d'autres formes de contraception?**

Enablement Condition:

```
(mc==0 || ((IsAnswered(larc_stillusing) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_inje) || larc_stillusing==--99)
 || (IsAnswered(sarc_stillusing_pill) || larc_stillusing==--99)))
 || IsAnswered(stillusing_se_past) || IsAnswered(quit_satisfied)
```

APPENDIX B — INSTRUCTIONS

[1] [speaking_to](#): Avant de continuer, puis-je confirmer que je suis en train de parler avec %patient_name%?

Si vous êtes en train de parler à une personne autre que %patient_name%, demandez à cette personne si vous pouvez parler avec %patient_name%. Sélectionnez la touche "oui" uniquement lorsque vous serez en train de parler avec %patient_name%.

APPENDIX C — VARIABLES

[1] `renewed:`
`(larc_stillusing==1 && IsAnswered(larc_stillusing)) || ((sarc_stillusing_inje==1 && IsAnswered(sarc_stillusing_inje)) && (date_renewal_inje.InRange(datetime.Value.AddMonths(-2),datetime))) || ((sarc_stillusing_pill==1 && IsAnswered(larc_stillusing)) && (date_renewal_pill.InRange(datetime.Value.AddMonths(-2),datetime)))`

LEGEND

Legend and structure of information in this file

Name of section	Enabling condition for this section	Type of question, scope	Variable name
<p>SECTION 5: OTHER INCOME SOURCES</p> <p>E s4_other_sources_which.Contains(98)</p> <hr/> <p>Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur?</p> <p>I This refers to family relations E s3_time_other > 0 V1 s4_re1_leaders_which.Contains(98) M1 Can not be itself V2 (s3_time_other_breeding_advice <= (50 - s3_time_art_insem_advice)) s3_time_other_breeding_advice == 0 M2 This person is not in the list F optioncode != s5_ignored_option_code</p>		<p>ANSWER OPTIONS</p> <p>MULTI-SELECT SCOPE: PREFILLED</p> <p>01 <input type="checkbox"/> Community animal health workers</p> <p>02 <input type="checkbox"/> Private</p> <p>03 <input type="checkbox"/> Government</p> <p>04 <input type="checkbox"/> Livestock keepers association</p> <p>05 <input type="checkbox"/> NGO</p> <p>And 5 other [13]</p>	s4_re1_leaders_other
<p>Additional information:</p> <p>"I" – Question instruction</p> <p>"E" – Enabling condition</p> <p>"V1" – Validation condition №1</p> <p>"M1" – Message for validation №1</p> <p>"F" – Filter in Categorical questions</p>		<p>Link to full set in appendix</p>	

Breadcrumbs

Type or roster	Roster Title
CHAPTER 3 IDENTIFICATION / Roster:	LEADER RELATION DETAILS generated by fixed list:
01	Ward Livestock Officer
02	Village Livestock Officer
99	Other (specify)

List items